UNIVERSITY OF CALIFORNIA, BERKELEY RICHMOND BAY CAMPUS RICHMOND FIELD STATION SITE MONTHLY SUMMARY REPORT August 15, 2024

This monthly summary report (MSR) summarizes environmental site investigation and remediation activities conducted on behalf of The Regents of the University of California (UC) at the University of California, Berkeley's Richmond Field Station Site in accordance with Section 6.3 of the California Environmental Protection Agency, Department of Toxic Substances Control (DTSC) Site Investigation and Remediation Order (Order), Docket No. I/SE-RAO 06/07-004, effective on September 20, 2006.

a. Specific actions taken by or on behalf of Respondents during the previous calendar month (July 2024).

• <u>Reporting and Communication: Quarterly Meetings.</u> UC Berkeley staff conducts quarterly coordination meetings with DTSC. The purpose of these meetings is to provide DTSC, EPA, City of Richmond, Campus Bay, and UC Berkeley Richmond Field Station representatives the opportunity to coordinate on regional cleanup activities at the southeast Richmond shoreline. The meeting was conducted on July 11.

b. Actions expected to be conducted during the current calendar month (August 2024).

- <u>Reporting and Communication: ETA PCB Investigation.</u> UC Berkeley submitted a summary letter presenting sampling results for the additional PCB sampling in the ETA completed in January 2024 to DTSC and EPA on April 19. DTSC provided comments dated May 10 to UC Berkeley on June 17. EPA provided comments on June 27. UC Berkeley will provide a response to DTSC and EPA comments in August.
- <u>Reporting and Communication: Corp Yard Investigation, East Meadow and DU7.</u> UC Berkeley submitted a summary letter presenting sampling results for the East Meadow and DU7 excavation to DTSC and EPA on March 15. DTSC provided comments dated May 10 to UC Berkeley on June 5. EPA provided comments on June 27. UC Berkeley is working on a response to DTSC and EPA comments.
- <u>Reporting and Communication; Western Transition Area (WTA) Phase V Investigation.</u> UC Berkeley will continue preparation of the Phase V implementation summary report for submission in September. This report will incorporate comments received on the Phase V, WTA Sample Results letter, dated October 16, 2020, and the supplemental investigation defining the extent of the dark product encountered during the original Phase V investigation. This document will incorporate the Phase V Western Stege Marsh Implementation Summary Report, completed in 2018.

c. All planned activities for the next month and beyond (September 2024 and beyond).

• <u>Reporting and Communication; Quarterly Meetings.</u> UC Berkeley staff conducts quarterly coordination meetings with DTSC. The purpose of these meetings is to provide DTSC, EPA, City of Richmond, Campus Bay, and UC Berkeley Richmond Field Station representatives the opportunity to coordinate on regional cleanup activities at the southeast Richmond shoreline. The meeting is scheduled for October 10.

- <u>Reporting and Communications: 5-Year Review.</u> UC Berkeley will prepare the 5-Year review in compliance with the Removal Action Workplan (RAW) for the Research, Education, and Support (RES) and Groundwater. The 5-Year Review will incorporate progress conducted since the previous 5-Year Review submittal in 2019, and incorporate any new toxicity or screening levels.
- <u>Reporting and Communications: Soil Management Plan.</u> Per discussions with DTSC on April 11, UC Berkeley will prepare the Draft Soil Management Plan, Revision 4, following completion of the 5-Year Review, as the updated screening levels would require documentation within the Soil Management Plan. Revision 4 will replace the Draft Soil Management Plan, Revision 3, which was not finalized.
- <u>Reporting and Communication; B112 PCB Removal Action.</u> UC Berkeley will issue hard copies of the final implementation summary report for the B112 Transformer Area PCB removal action to DTSC.
- d. Any requirements under the Order that were not completed.
 - None
- e. Any problems or anticipated problems in complying with this Order.
 - None